



ACCESSORY

Pro Dunk® Backstop Net

Thank you for purchasing our Backstop Net. We try hard to ensure that our products are of high quality and free of manufacturing defects and of missing parts. However, if you have any problems with your Backstop Net, such as a manufac-

Toll Free: 1.888.600.8545

Pro Dunk®

Web: www.produnk.com

22047 Lutheran Church Rd.

Tomball, TX 77377

Support: www.produnk.com/support

Read this manual all the way through before starting assembly of your Backstop Net. Then read each step completely before beginning installation.

Bill Of Materials

Ref.	Qty.	Description
A	1	Net
B	2	Female + Male Fiberglass Poles
C	2	Male Fiberglass Poles
D	1	Main Pole Mount Bracket
E	2	10mm x 3cm Hex Bolts
F	2	10mm Flat Washer
G	2	10mm Lock Washer
H	6	Metal Ground Stakes

Safety Instructions



IMPORTANT

It is the responsibility of purchaser to ensure that all assemblers and players fully comply with the detailed instructions set forth in this product assembly manual. Product assembly should be carried out exactly as instructed and owner supervision of use and installation is required to pre-

- All tools used to assemble this product should be used in compliance with manufacturer's guidelines.
- Installation of this product will require heavy lifting and bending. Any person that is not capable of such activity should not participate in the installation of this product.
- If using a ladder during assemble, use extreme caution and refer to the warnings and cautions on the ladder.
- Due to the size and weight of this product, we recommend at least (2) capable adults are present.
- All parts and components necessary to complete proper installation are included within this product. Do not use parts not included with our system. Failure to follow this requirement could cause product malfunction and will void warranty of this product.
- Keep all organic materials away from parts and components to avoid damage.

- Check the Backstop Net System on a regular basis to ensure that there are no signs of deterioration or corrosion, loose hardware, or damaged parts. If you see any signs of damage contact Pro Dunk® for replacement parts or assistance.
- For maintenance repairs please contact a professional. produnk.com/installers
- **Failure to follow these safety instructions could result in product malfunction, serious injury, or even death.**

Pro Dunk® retains the right to modify this document at any time without notice or obligation.

Keep this installation manual as a reference for your safety and the safety of those playing on the basketball system. Additional copies of these safety instructions are available by calling customer service at **1-888.600.8545** or at **www.produnk.com/support**

Installation Overview

In order to have safe fun and a long use of your Backstop Net, please note and heed the following:

- 1) Prior to Backstop Net assembly, check the work area for any hazards.
- 2) Immediately unpack all components and cross check against bill of materials. Report any shortages to Pro Dunk® customer service at 1.888.600.8545.
- 3) You must have a Pro Dunk® basketball system with the new 4 threaded mounting holes on the top of the main pole. You may have to remove 4 plugs to expose these threaded holes.
- 4) For safety measures, have at least 2 capable persons to assist you in assembly of your Pro Dunk® Backstop Net.
- 5) Parts can be ordered at www.produnk.com/parts



Required Tools


- (1) Crescent Wrenches

Bolt/Nut Sizes
<ul style="list-style-type: none">• 17mm

Assembly

1) Bracket Installation

Using the provided hardware attach the Pole Bracket to the back of your main pole utilizing the top 2 holes in the back of your main pole. See below showing how to mount depending on the model.



2) Pole Assembly

Take 1 pole with a female end and male end and 1 pole with just a male end and connect these as shown below.

Repeat this step for the second set of poles.



3) Slide Poles Into Net Sleeves

Slide both set of poles through the top of net as shown below.



4) Attach Poles to Main Pole Mount Bracket

Screw each side of the net into the Main Pole Mount Bracket as shown below.



5) Staking Net Into Ground

Using the provided Metal Ground Stakes secure the net to the ground.



6) Maintenance

Like any piece of hardware, proper maintenance is required. Several factors such as the environment, organic materials, herbicides, pesticides, excessive use or misuse can eventually cause the Backstop Net to require maintenance. Failure to do so could result in system failure, property damage, or even personal injury.

- 1) All organic materials should be kept away from the Backstop Net System at all times.

Examples: grass clippings, moisture, garbage, dirt, etc.

7) Routine System Inspection

Before each use inspect the entire system for any signs of loose nuts and bolts, any excessive wear and tear, any signs of rust or corrosion.

If replacement parts are needed you can contact Pro Dunk® directly or navigate to www.produnk.com/parts to purchase parts for your Backstop Net. Only parts provided by Pro Dunk® should be used for repair. Not doing so could cause the system to fail resulting in injury or death and voids the limited warranty.

Hoops Inc. Backstop Net Limited 90 Day Warranty

Hoops Backstop Net systems are warranted to the original purchaser to be free from defects in material or workmanship for 90 days of ownership by the original retail purchaser. The word "defects" is defined as imperfections that impair the use of the product.

Warranty Fulfillment

Merchandise must be shipped prepaid with a copy of proof of purchase to Hoops Inc. for examination to see whether it needs to be repaired or replaced. Any labor costs, travel expenses and any other changes involved in the removal, installation or replacement of the defective/repared parts from/to your Hoops Backstop Net system will be your (the purchaser's) responsibility. Shipping charges for replaced or warranted merchandise being sent back to the customer must be prepaid by the customer in advance. If not, the replacement shipment will be sent out collect. Hoops Inc. reserves the right to examine photographs or physical evidence of merchandise claimed to be defective, and to recover said merchandise, prior to authorization of warranty claims.

What is not covered by this warranty

This warranty does not cover defects or damage due to improper installation, shipping, handling, alteration, accidents, vandalism, weather conditions (rusting), exposure to corrosives, negligence, misuse (anything other than a type of basketball activity or related contact with the unit), scratching, scuffing or any event beyond the control of the Hoops Inc.. If unit is not maintained as stated in the user manual the warranty will be void.

Liability

Hoops Inc. shall not be liable for indirect, special, or consequential damages arising out of or in connection with the use or performance of the products or other damages with respect to any economical loss, loss of property, loss of enjoyment of use, costs of removal, installation or other consequential damages for breach of any expressed or implied warranty on these products.

Guidelines

Keep your proof of purchase (original retail purchaser). Without it, we will not be able to proceed with any warranty service.

Call

1-888-600-8545 / Warranty Dept.

Write

Hoops Inc.

Attn: Warranty Dept

22047 Lutheran Church Rd.

Tomball TX 77377

Email

support@hoopsincorporated.com

For the most up to date warranty information please navigate to www.produnk.com.